



WORK MATE

A Division of FMI Truck Sales & Service

Conventional Style 2500-2800

SEPTIC SERVICE UNIT



Truck Pictured Includes Various Options

FMI TRUCK SALES & SERVICE
Portland, Oregon

1-800-927-8750
(503) 286-2800

SEPTIC SERVICE UNIT

Aluminum Tank 2500-2800



Standard Body Specifications

Waste Volume

- ◆ 2500-2800 Gallon Waste Compartment
- ◆ 1/4" 5454 Polished Aluminum
- ◆ 60" Domed Heads
- ◆ 20" Manway with 2" Primary Shut Off
- ◆ 4" Side Dump Value
- ◆ Masport HXL75V Vacuum Pump rated up to 230 CFM @ 1400 RPM, Air Cooled
- ◆ Easy Drain 1-1/2" Secondary Scrubber
- ◆ Oil Reservoir and Oil Catch located for Easy Fill and Drain
- ◆ Standard 4-way Operation allowing Tank to be Pressurized





Available Options

PRE-FILTER WITH STAINLESS SCREENS

In-line filter with removable stainless steel screens. Reduces wear and vacuum pump damage by keeping dry debris out of the pump.

GARNETT GAUGE LIQUID LEVEL

Know your level every time you pump.

SEPTIC WATER SYSTEM

Includes DC-10 wash down pump and retractable hose reel. Configured to your gallonage preference.

INTERNAL RINGS

For a flat, clean, smooth outer finish.

UNDERBODY STORAGE BOX

Storage box mounted under the carrier for wet items such as tire chains and straps keeps moisture out of the dry storage areas.

CODE OPTION

Code tank options are available on all configurations.

HEAVY DUTY TOW PACKAGE

A complete 5,000# tow package is added to the standard flip down carrier and includes a heavy-duty custom tail light convertor for the Japanese tail light system.

12-VOLT PRESSURE WASHER

A 1200 psi electric pressure washer is installed with a filter



and bleed-off system. Allows hard cleaning jobs to be performed in the field.

FRONT LIFT REAR DOOR

Front lift rear opening door system for larger jobs.

WATER COMPARTMENT HEAT COILS

For cold weather operation.

2" HYDRANT FILL

Quick fill your fresh water system.

VACUUM PUMP & SYSTEM OF YOUR CHOICE

HYDRAULIC DRIVE

Hydraulic drive systems for your vacuum pump available on request.

6" SUMP STYLE DUMP & 4" INTAKE WITH DEFLECTOR

O'BRIEN TOOL BOX JETTER

Honda electric start, electric rewind tool box jetter. 4.8 gpm @1300 psi, 13 Hp.

MASPORT AIR INLET PRE-FILTER

MASPORT SMOKE ELIMINATOR

ODOR ELIMINATOR SYSTEM

Effectively removes foul odors when pumping grease traps, septic tanks and portable toilets.

Chassis Options

Any WorkMate Body or Tank Can Be Built On The Chassis Of Your Choice





SEPTIC SERVICE UNIT TWELVE MONTH LIMITED PRODUCT WARRANTY

WorkMate warrants the portable toilet vacuum service unit against defects, breakage or other problems in workmanship that prevent the **WorkMate** Portable Toilet Vacuum Service Unit from functioning in accordance with usual practices in the portable toilet industry for a period of twelve (12) months, as described below.

ELIGIBILITY. This limited warranty is transferable between purchasers of the Portable Toilet Vacuum Service Unit. Warranty start date is determined by the original delivery date.

ITEMS WARRANTED. This limited warranty applies exclusively to the vacuum service module tank, storage cabinets, bumper/unit hauler, vacuum pump mounting bracket and vacuum mounting system. The vehicle chassis and vacuum pump system are covered by the manufacturers warranty.

WARRANTY PROCEDURES. If a part covered by this limited warranty incurs a functional defect within the period of coverage, **WorkMate** will provide replacement parts, or at its option, provide the material and instruction for restoration.

Notify **WorkMate** in writing to report defects under this limited warranty and to arrange for inspection of defective materials. **WorkMate** may require inspection or other verification that goods are defective, which may include returning some or all of the parts (transportation provided). **WorkMate** will assume the cost of pre-authorized transportation for parts found defective.

WARRANTY EXCEPTIONS. This limited warranty does not cover damage or failure contributed to or caused by unauthorized modification, misuse, vandalism or accident. In no event shall **WorkMate** be liable for labor costs or for incidental or consequential damages.

COVERAGE PERIOD. Coverage under this limited warranty is for a total of twelve (12) months from time of delivery. A part or repair supplied under this warranty will assume the balance of the original warranty period.

THIS LIMITED WARRANTY IS IN LIEU OF ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY AND ALL OTHER WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. WITHOUT EXPANDING OR EXTENDING ANY WARRANTY PERIOD, YOU AGREE THAT ANY ACTION, CLAIM, SUIT OR PROCEEDING ARISING UNDER OR IN CONNECTION WITH THIS WARRANTY WILL BE COMMENCED WITHIN TWELVE (12) MONTHS OF THE DATE OUR PRODUCT IS DELIVERED TO YOU.

FMI Truck Sales & Service
8305 NE Martin Luther King Jr. Blvd.
Portland, Oregon 97211
www.fmitrucks.com

Septic Service Units Can Be
Built on Isuzu, Hino, Ford, GM
& Other Fine Chassis'

FMI is a Proud Member of Portable Sanitation Association International

1-800-927-8750