



# WORK MATE

*A Division of FMI Truck Sales & Service*

## Conventional Style

# 2000

# PORTABLE TOILET VACUUM SERVICE UNIT



Truck Pictured Includes Various Options

**FMI TRUCK SALES & SERVICE**  
Portland, Oregon

# 1-800-927-8750

(503) 286-2800

# PORTABLE TOILET VACUUM SERVICE UNIT 2000

## Aluminum Tank Conventional



### Standard Body Specifications

#### Waste Volume

- ◆ 1500 Gallon Waste Compartment
- ◆ 1/4" 5454 Polished Aluminum
- ◆ 60" Domed Heads
- ◆ 20" Manway with 2" Primary Shut Off
- ◆ 4" Side Dump Value
- ◆ Masport HXL4V Vacuum Pump rated up to 156 CFM @ 1400 RPM
- ◆ Easy Drain 1-1/2" Secondary Scrubber
- ◆ Oil Reservoir and Oil Catch located for easy fill and drain
- ◆ Standard 4-way Operation allowing tank to be pressurized

#### Water Volume

- ◆ 500 Gallon Fresh Water Compartments
- ◆ Easy Drain Setup for cold weather operations
- ◆ Banjo Quick Couple water lines and filter housing
- ◆ DC 10 High Volume Water Pump, 20 Gallons @ 42 psi
- ◆ Standard Retractable Hose Reel

### WorkMate Advantages

- ◆ Super Efficient WorkMate Easy Work Station
- ◆ Water Tight Electrical Control Box
- ◆ Automatic reset circuit breakers in place of fuses
- ◆ Color coded and individually loomed wiring system
- ◆ One Button PTO Hot Shift and Fast Idle
- ◆ Safety Shut Down in Drive and Park Brake Circuits
- ◆ Four (4) Work Lights Standard; Two (2) on Work Area and Two (2) in Rear
- ◆ Large Dry Box Storage near Work Station
- ◆ Ready to work! Includes wands, hoses, nozzle and bucket
- ◆ Two (2) Unit Flip Down Carrier with E-Track Load Security System. Never lose another toilet!
- ◆ Consolidated Driver Daily Check and Service Station
- ◆ FMI Fleet Purchase Power. Save on the chassis of your choice!



## AVAILABLE OPTIONS

### DUAL SIDE WORKSTATION

Installing workstations on both sides of the truck allows the convenience of servicing from both curbside and the driver's side. This option comes complete with switches, tiger tail hose, wand, freshwater hose, bucket holder, bucket, fresh water quick fill, shut-off valves and a wand holder.

### 12-VOLT PRESSURE WASHER

A 1200 psi electric pressure washer is installed with a filter and bleed-off system.

Allows tip-overs and hard cleaning jobs to be performed in the field.



### UNDERBODY STORAGE BOX

Storage box mounted under the carrier for wet items such as tire chains and straps keeps moisture out of the dry storage areas.

### PRE-FILTER WITH STAINLESS SCREENS

In-line filter with removable stainless steel screens. Reduces wear and vacuum pump damage by keeping dry debris out of the pump.

### TWIN REINFORCED TOW HOOKS

Two tow hooks are installed under the front bumper.

### ODOR ELIMINATOR SYSTEM

Effectively removes foul odors when pumping grease traps, septic tanks and portable toilets.

### HEAVY DUTY TOW PACKAGE

A complete 5,000# tow package is added to the standard flip down carrier and includes a heavy-duty custom tail light convertor for the Japanese tail light system.

### SWING OUT BUCKET HOLDER

Allows an extra bucket to be carried at the workstation for garbage and/or storage of items like brushes or chemicals. This bucket swings conveniently under the carrier while commuting.



### 3-COLOR CUSTOM DECALS

Customized 3-color decal package that can help convey a message to your customers. Includes decals on both cab doors and both sides of the flat bed.

## Chassis Options

Any WorkMate Body or Tank Can Be Built on the Chassis of Your Choice!



# PORTABLE TOILET VACUUM SERVICE UNIT TWELVE MONTH LIMITED PRODUCT WARRANTY

---

**WorkMate** warrants the portable toilet vacuum service unit against defects, breakage or other problems in workmanship that prevent the **WorkMate** Portable Toilet Vacuum Service Unit from functioning in accordance with usual practices in the portable toilet industry for a period of twelve (12) months, as described below.

**ELIGIBILITY.** This limited warranty is transferable between purchasers of the Portable Toilet Vacuum Service Unit. Warranty start date is determined by the original delivery date.

**ITEMS WARRANTED.** This limited warranty applies exclusively to the vacuum service module tank, storage cabinets, bumper/unit hauler, vacuum pump mounting bracket and vacuum mounting system. The vehicle chassis and vacuum pump system are covered by the manufacturers warranty.

**WARRANTY PROCEDURES.** If a part covered by this limited warranty incurs a functional defect within the period of coverage, **WorkMate** will provide replacement parts, or at its option, provide the material and instruction for restoration.

Notify **WorkMate** in writing to report defects under this limited warranty and to arrange for inspection of defective materials. **WorkMate** may require inspection or other verification that goods are defective, which may include returning some or all of the parts (transportation provided). **WorkMate** will assume the cost of pre-authorized transportation for parts found defective.

**WARRANTY EXCEPTIONS.** This limited warranty does not cover damage or failure contributed to or caused by unauthorized modification, misuse, vandalism or accident. In no event shall **WorkMate** be liable for labor costs or for incidental or consequential damages.

**COVERAGE PERIOD.** Coverage under this limited warranty is for a total of twelve (12) months from time of delivery. A part or repair supplied under this warranty will assume the balance of the original warranty period.

*THIS LIMITED WARRANTY IS IN LIEU OF ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY AND ALL OTHER WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. WITHOUT EXPANDING OR EXTENDING ANY WARRANTY PERIOD, YOU AGREE THAT ANY ACTION, CLAIM, SUIT OR PROCEEDING ARISING UNDER OR IN CONNECTION WITH THIS WARRANTY WILL BE COMMENCED WITHIN TWELVE (12) MONTHS OF THE DATE OUR PRODUCT IS DELIVERED TO YOU.*

---

## FMI Truck Sales & Service

8305 NE Martin Luther King Jr. Blvd.  
Portland, Oregon 97211  
[www.fmitrucks.com](http://www.fmitrucks.com)

**1-800-927-8750**